

GENERAL INFORMATION

Cuperdem™ is an organic copper solution that acts both in foliar application and fertigation. Cuperdem™ presents a unique penetration and excellent systemic action in the whole plant due to complex agents incorporated in the formulation.

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

PRECAUTIONS:

1. Handle with care and avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Harmful if inhaled or absorbed through the skin.
2. **KEEP OUT OF REACH OF CHILDREN.**
3. **KEEP APART FROM FOOD AND FOODSTUFFS.**
4. Remove contaminated clothing and wash before re-use.
5. Wash exposed parts of the body with soap and water after use and before eating, drinking or smoking.
6. **DO NOT CONTAMINATE PONDS, WATERWAYS AND DITCHES BY STORAGE OR DISPOSAL.**
7. **DO NOT** eat, drink or smoke during application
8. **DECONTAMINATION OF SPRAYER**
Clean applicator/spraying equipment thoroughly after use and ensure that all traces of CUPERDEM are removed. Make use of the following method:
 - a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes.
 - b) Fill tank with clean water and add 1.0 litre household bleach (5%) or 1.5 litres of household bleach (3.5%) per 200 litres of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
 - c) Repeat step (b) and thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for disposal of pesticides
9. **EMPTY CONTAINER DISPOSAL:**
Non-refillable container. Do not reuse or refill this container. Completely empty container into the application equipment and thereafter, thoroughly rinse the container 3 times with a volume of water equal to a volume of 10% of the container. Add the rinsings to the contents of the spray tank. Destroy empty containers by puncturing and burying. **DO NOT** use for any other purpose. If possible, offer for recycling.
10. **STORAGE:**
Store in a cool, dry place in original tightly closed container. **KEEP UNDER LOCK AND KEY.**

SYMPTOMS OF POISONING:

Product may cause skin and eye irritation.

FIRST AID:

- If on skin:** Wash with soap and water. Get medical attention if irritation persists.
If in eyes: Flush eyes with clean water. Call a physician if irritation persists.
If swallowed: Wash mouth with water if person is conscious. Call a physician.
If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration and get medical attention.

NOTE TO PHYSICIAN:

There is no known antidote for exposure to this material. Treatment of overexposure should be directed at the control of symptoms and clinical condition.

WARRANTY:

This product and the recommendations concerning its use should give excellent results. Since the performance and effectiveness of crop protection chemicals can be greatly influenced by factors outside the manufacturer's control, the manufacturer and seller give no guarantee or warranty, expressed or implied concerning the use of this product and they assume no responsibility for damage or injury arising from the use thereof.

COMPATIBILITY

Cuperdem is compatible with most foliar fertilizers. For compatibility with other pesticides, consult respective labels or suppliers before tank mixing with Cuperdem.

WARNING:

Use product within 8 hours of mixing with water.

PRE-HARVEST INTERVALS:

Brassicás, Beans, Cucurbits, Peas and Tomato - 3 days
All other Crops - 7 days

RESTRICTED ENTRY INTERVAL: 2 Hours

RAINFASTNESS: 4 Hours

Cuperdem

A Systemic Organic Fungicide



REG. No.
19-B-2-86

Net Contents:
5 L

CAUTION

HARMFUL IF SWALLOWED

Water soluble Copper 6%
Inert Ingredients 94%

A SYSTEMIC COPPER SOLUTION FOR CONTROL OF BACTERIAL AND FUNGAL PLANT DISEASES AS WELL AS PREVENTION AND CORRECTION OF COPPER DEFICIENCIES IN CROP PLANTS

Registered by:
Pivotal Agro-Services (Pvt) Ltd,
PO Box WGT 450, Westgate, Harare
Telephone: (263/242) 309800 / 25

Manufactured by:
Asfertglobal LDA, Portugal


asfertglobal
Innovation in plant sciences

APPLICATION RATES AND RECOMMENDATIONS

Crop	Disease/Problem	Rate/100L of Water	Application
Apples Pears	Black Spot Powdery Mildew Scab	200-300 ml	Apply in 500-1000L of water per hectare at green tip and spur burst at 10 to 14-day intervals up to a maximum of 6 sprays per season.
Apricots Peaches Plums	Bacterial Canker Bacterial Spot Gum Spot	200-300 ml	Apply in 500-1000L of water per hectare at 75% leaf drop and at bud movement. Repeat at 14-day intervals if necessary up to a maximum of 6 sprays per season.
Avocado	Anthraxnose (<i>Colletotrichum</i>) Fruit Spot <i>Phytophthora</i>	200-300 ml	Apply at 14 to 28-day intervals from flowering to harvest. Use shorter intervals in prolonged wet weather up to a maximum of 6 sprays per season. Apply as stem paint at 1:1 mix with water for control of <i>Phytophthora</i> .
Banana	Sigatoka Leaf Spot	200-300 ml	Apply as a full cover spray at 10 to 14-day intervals. Repeat as necessary up to a maximum of 6 sprays per season.
Blue Berries Strawberries	Bacterial Blight	200-300 ml	Apply in 500-1000L of water per hectare before rains and repeat at 50% leaf fall and thereafter at 14-day intervals up to a maximum of 5 sprays per season.
Brassicás Celery	Downy Mildew Leaf spot Early Blight	200-300 ml	Spray seedlings in 200-300L of water per hectare at 7-day intervals up to a maximum of 3 sprays. Apply to transplanted crops in 300-500L of water at 10 to 14-day intervals up to a maximum of 5 sprays per season.
Citrus Mango	Citrus Black spot Anthraxnose	150-200 ml	Apply in 500-1000L of water per hectare at 75% petal drop. Repeat at 21 to 28-day intervals up to a maximum of 6 sprays per season.
Cucumbers Pumpkins Melons Squash	Anthraxnose Alternaria Bacterial wilt Downy mildew	200-400 ml	Apply in 300-500L of water per hectare as a full cover spray at 10 to 14-day intervals up to a maximum of 6 sprays per season.
Coffee	Berry Blotch Leaf Spot Rust	200-300 ml	Apply in 500-1000L of water per hectare at 21 to 30-day intervals or 14-day intervals under heavy disease pressure. Apply a maximum of 6 sprays per season.
Grapes Granadilla	Downy mildew Powdery mildew Leaf & fruit spot	200-300 ml	Apply in 500-1000L of water per hectare at pre-bloom and post-bloom at 14-day intervals up to a maximum of 6 sprays per season.
Chillies Paprika Peppers	Alternaria Cercospora Powdery mildew	200-300 ml	Apply as a full cover spray in 300-500L of water per hectare and repeat at 7 to 10-day intervals up to a maximum of 6 sprays per season.
Macadamia	Botrytis Husk Spot <i>Phytophthora</i>	150-200 ml	Apply as a full cover spray in 1000L of water per hectare at beginning of flowering. Repeat at 14-day intervals up to a maximum of 3 sprays per season. Apply as stem paint at 1:1 mix with water for control of <i>Phytophthora</i> .
Ornamentals Carnations Flowers	Fire Blight Leaf Spot Rust	200-300 ml	Apply in 500-1000L of water per hectare during blooming and in summer up to 6 sprays per season. Rotate with fungicides with a different mode of action if more than 6 applications are required per season.
Onions	Downy mildew	200-300 ml	Apply in 300-500L of water per hectare at 14-day intervals up to a maximum of 6 sprays per season. Rotate with fungicides with a different mode of action to manage resistance.
Peas	Ascochyta, Scab Downy mildew Powdery Mildew	200-300 ml	Apply in 300-500L of water per hectare as a full cover spray at 21-day intervals up to a maximum of 6 sprays per season in rotation with fungicides with a different mode of action.
Potatoes	Early Blight Late Blight	200-300 ml	Apply as a preventative spray before the onset of the disease at 14-day intervals up to a maximum of 6 sprays per season in rotation with fungicides with a different mode of action.
Tea	Copper deficiency Red Rust	200-300 ml	Apply as a mist spray in 30-50L of water per hectare at 14 to 21-day intervals during the harvesting period up to a maximum of 4 sprays per season.
Tomatoes	Bacterial canker Early Blight Late Blight Leaf Spot	200-300 ml	Apply as a preventative spray in 300-500L of water per hectare before onset of diseases at 7 to 10-day intervals up to a maximum of 6 sprays per season. Alternate with fungicides with a different mode of action to manage resistance.
Sugar beans	Bacterial Blight Brown Spot Botrytis, Rust Halo Blight	200-300 ml	Apply as a full cover spray in 300-500L of water per hectare before onset of the diseases at 10 to 14-day intervals up to a maximum of 4 sprays per season.

DIRECTIONS FOR USE

Foliar Application:

Apply as a preventative spray before onset of diseases in 300-1000 litres of water per hectare depending on age and type of crops.

Fertigation: Apply 3-5 litres per hectare.

FOR FURTHER INFORMATION ON THIS PRODUCT, CONTACT PIVOTAL AGRO-SERVICES, Harare 2309800/25.

 **5 l / 6,4 kg e**

Add now Cuperdem to
your application program!

CUPERDEM

HIGH EFFICACY COPPER AT
LOW RATE



CUPERDEM

is an organic copper designed for foliar and drip irrigation application, with an easy penetration and due to its high systemic action it spreads throughout the plant.

How does Cuperdem helps crop ?

Among different effects and agronomic benefits, the highlights are its action in the enzymatic processes and photosynthesis, giving the plant more resistance against diseases such as Mildew, Anthracnose, Alternaria, Pitium, Monilia, Phytophthora, Fusicoccum.

Why does Cuperdem make the difference ?

CUPERDEM can't be washed by rain, so it is supposed to apply only about 10% of the amount of active ingredient (Cu) compared to conventional cupric products, decreasing by 90% the application of copper to the environment.

COMPOSITION

Copper (Cu) water soluble 6% w/w
Complexing agent: heptagluconic acid

www.asfertglobal.com

DIRECTIONS FOR USE

Foliar

Fruit trees and vine: 150-300 ml/hl of water during the growing cycle regarding the weather conditions. Vegetables: 150-300 ml/hl of water, regarding the weather conditions and crop stage. Olive trees: 200-300 ml/hl of water in the Spring, fruit development and Autumn. Citrus: 150-200 ml/hl of water during the Autumn. Turf: 200-400 ml/hl of water, according to weather conditions.

Fertigation 3-5 l/ha.



asfertglobal
innovation in plant sciences

Unit 58 Zambezi Junction, Zambezi
Road Montana, Pretoria 0159
South Africa
info@asfertglobal.com



SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1
Revision date: 17/04/2017

Page 1 of 7
Print date: 04/01/2018

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: CUPERDEM - Liquid fertilizer with micronutrients. CE Fertilizer.
Product Type: Mixture

1.2 Relevant identified uses of the mixture and uses advised against.

Material for agricultural use.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **ASFERTGLOBAL, LDA**
Province: Santarém
Telephone: +351 243 779 431
Fax: +351 243 779 421
E-mail: anapereira@asfert.pt
Web: www.asfertglobal.com

1.4 Emergency telephone number: 112.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

2.2 Label elements.

P102: Keep out of the reach of children.

P270: Do not eat, drink or smoke during use.

Store at a temperature of not more than 30 ° C or less than 5 ° C.

Keep away from sunlight.

Keep away from food, drink and animal feeding stuffs.

In case of contact with eyes and mucous membranes, rinse immediately with plenty of water and seek medical advice.

In case of contact with skin, wash immediately with plenty of water.

Wear suitable gloves.

Wear eye / face protection.

In case of accident or illness, seek medical advice immediately and show this product label.

Use only in case of recognized need. Do not exceed recommended dosages.

EUH statements:

EUH210 Safety data sheet available on request.

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

This mixture does not contain substances that represent a health or environmental hazard according to Regulation (EC) No. 1272/2008, are assigned a community exposure limit in the workplace, nor are they classified as PBT / vPvB or included in the Candidate List.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1
Revision date: 17/04/2017

Page 2 of 7
Print date: 04/01/2018

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Eye contact.

If wearing contact lenses, remove them. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. **NEVER** use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. **NEVER** induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Recommended extinguishing methods.

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray. Do not use a direct stream of water to extinguish.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and gloves.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1
Revision date: 17/04/2017

Page 3 of 7
Print date: 04/01/2018

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.
For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:
For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers.
In the application area, smoking, eating, and drinking must be prohibited.
Follow legislation on occupational health and safety.
Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures.
As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.
Keep away from oxidising agents and from highly acidic or alkaline materials.
Store the containers between 5 and 35° C, in a dry and well-ventilated place.
Store according to local legislation. Observe indications on the label.
The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

HAND PROTECTION:

PPE: Protective gloves.

Characteristics: CE marking, category II.

CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420

Maintenance:

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.

Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.

Observations:

Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight.

Always use with clean, dry hands.

Material: PVC (polyvinyl chloride)

Breakthrough time (min.): > 480

Material thickness (mm): 0,35

EYE PROTECTION:

PPE: Protective goggles with built-in frame.

Characteristics: CE marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.

CEN standards: EN 165, EN 166, EN 167, EN 168

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1

Revision date: 17/04/2017

Page 4 of 7

Print date: 04/01/2018

Maintenance:

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.

Observations:

Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.

SKIN PROTECTION:

PPE: Protective clothing.

Characteristics: CE marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.

CEN standards: EN 340

Maintenance:

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.

Observations:

The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Liquid

Colour: Dark blue

Odour: Characteristic

Odour threshold: N.A./N.A.

pH: 3.5

Melting point: N.A./N.A.

Boiling Point: ≥ 111 °C

Flash point: > 562 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A.

Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: 23,422

Vapour density: N.A./N.A.

Relative density: 1,25 g/cm³

Solubility: Soluble

Liposolubility: N.A./N.A.

Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A.

Decomposition temperature: N.A./N.A.

Viscosity: 100

Explosive properties: N.A./N.A.

Oxidizing properties: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Pour point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1

Revision date: 17/04/2017

Page 5 of 7

Print date: 04/01/2018

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) > 10.000 mg/kg

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1

Revision date: 17/04/2017

Page 6 of 7

Print date: 04/01/2018

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13 DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR: Transportation is not dangerous.

IMDG: Transportation is not dangerous.

ICAO: Transportation is not dangerous.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)



59-CUPERDEM

Version: 1

Revision date: 17/04/2017

Page 7 of 7

Print date: 04/01/2018

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

PPE: Personal protection equipment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.