

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

SAFETY PRECAUTIONS

- Handle with care. Avoid splashing/contact. Poisonous by swallowing, inhalation and contact with the skin.
- WEAR FULL PROTECTIVE CLOTHING i.e. overalls, rubber boots, rubber gloves and a respirator for ULV application.
- DO NOT eat, drink or smoke while handling this product.
- Remove protective clothing on completion of application and wash hands and face thoroughly with soap and water.
- DANGEROUS TO ANIMALS, BIRDS AND FISH. DANGEROUS TO LIVESTOCK AND DOMESTIC PETS.
- TOXIC TO FISH. DO NOT CONTAMINATE DRINKING POOLS, DAMS, RIVERS AND WATERWAYS.
- KEEP OUT OF REACH OF CHILDREN.
- KEEP AWAY FROM FOOD AND FOODSTUFFS.
- Store in original container and KEEP UNDER LOCK AND KEY.
- Avoid spray drift to non-target areas.

SYMPTOMS OF POISONING

Lack of coordination, tremors, dilation of pupils.

FIRST AID

Eye contact: Rinse eyes immediately with clean water for fifteen minutes. Go to a doctor immediately.

Skin contact: Remove contaminated clothing. Wash affected skin with soap and water. Go to a doctor if skin is affected.

If inhaled: Move to clean air.

If swallowed: Seek medical advice immediately and show this container or label. Have the person sip a glass of water if able to swallow. DO NOT induce vomiting.

Note: Never give anything by mouth to an unconscious patient.

NOTE TO PHYSICIAN

No specific antidote is known. Apply symptomatic therapy. Administration of activated charcoal or gastric lavage can be considered. It is probably wise to avoid drugs that enhance GABA activity.

Empty container disposal:

invert the empty container over the spray tank or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of the container. Add the rinsings to the contents of the spray tank. Destroy the empty container by perforation and flattening. Return to supplier for recycling. DO NOT use for any other purpose.

Decontamination of sprayer

Clean applicator thoroughly after use and ensure that all traces of MAGMECTIN ULTRA DUO 112 EC are removed. Make use of the following method;

(a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes.

(b) Fill tank with clean water and add it to 4 litre household bleach (sodium hypochlorite) (5%) or 1.5 Litres of household bleach (3.5%) per 200 Litres of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.

(c) Repeat step (b) and thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for the disposal of pesticides.



1. Triple rinse clean container after use.
2. Puncture holes in bottom.
3. Return to Maguires recycling facility

Manufactured by:

NOVAAGRO (HK) LTD
6TH FLOOR, WYNDHAM PLACE,
44 WYNDHAM STREET,
CENTRAL HONG KONG

MAGMECTIN ULTRA DUO 112 EC


INSECTICIDE

Reg. No.: 20-D-166-99-D-187-58

Net content: 1L

TRB. No.:

Supplied by Maguires-



HARMFUL IF SWALLOWED

COMPOSITION

mass/vol.

Acetamiprid.....64 g/L
Emamectin benzoate.....48 g/L

Chemical groups:

Acetamiprid..... Chloro-nicotonyl
Emamectin benzoate.....Avermectin

A broad spectrum acaricide and insecticide for the control of mainly Spidermites, Lepidoptera pests, Thrips, Aphids and Leafminers in Tomatoes, Brassicas, Leafminers and Budworms in Tobacco and other pests in crops and ornamentals as listed

KEEP OUT OF REACH OF CHILDREN

INSECTICIDE FOR AGRICULTURAL USE

DIRECTIONS FOR USE MIXING INSTRUCTIONS

Half-fill the sprayer tank with clean water. Add the recommended quantity of MAGMECTIN ULTRA DUO 112 EC to the water while agitating. Top up tank with required volume of water. Always stir the spray mixture well and apply within a few hours.

DO NOT prepare more spray mixture than is needed for the immediate operation.

APPLICATION

In all cases, apply as a full cover spray. Avoid run-off. Make sure the equipment is properly calibrated to give even distribution at the correct volume. DO NOT spray during the hot hours of the day, if the foliage is wet or if rain is imminent or if windy.

COMPATIBILITY

MAGMECTIN ULTRA DUO 112 EC is compatible with most insecticides and fungicides. As compatibility can be adversely affected by the quality of the water used in the mixture, the manufacturer recommends that a trial mixture be done using the water intended for spraying.

DOSAGE RATES

CROP	PEST	RATE / HECTARE	REMARKS
TOMATOES POTATOES	Spider mites Whiteflies Thrips	250ml in 250L water	Apply at first signs of infestation and repeat as required at 7-10 day intervals.
WHEAT	Lepidoptera spp. Cutworms Armyworms Leafminers	250ml in 250L water	Apply at first signs of infestation when punctures caused by egg-laying stages are visible.
MAIZE	Spodoptera and other Lepidoptera spp. Army worms Leafminers	250ml in 250L water	Apply at first signs of infestation when punctures caused by egg-laying stages are visible.
ORNAMENTALS	Spider mites Thrips	250ml in 250L water	Apply at first signs of infestation when punctures caused by egg-laying stages are visible.
TOBACCO LANDS	Aphids Budworm	250ml in 250L water	Apply as a full-cover spray. Timing and frequency should be based on Economic Threshold.

WARRANTY

Provided that the recommendations for storage and usage of this product are strictly followed it should give excellent results, but since the performance of pesticides can be influenced by factors outside the manufacturer's control, the manufacturers and seller give no guarantee or warranty, either express or implied, concerning the use and/or storage of this product, and accept no responsibility or liability of any nature whatsoever for any damage, injury or financial loss of any nature resulting from the use thereof. This product is warranted to consist of the ingredients as shown on the label.

SHELF LIFE: Two years from date of manufacture if kept in the original unopened container under constant cool and dry conditions.

Date of Manufacture: June 2020

Batch No.: 20200620

Registration held by:

MAGCHEM (PVT) LIMITED
2274 TILBURY ROAD,
WORKINGTON, HARARE,
ZIMBABWE

PRODUCT : MAGMECTIN ULTRA DUO EC
EFFECTIVE DATE : JUNE 2020
REVISION No. : 0
PAGES : 7

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY

Product name : MAGMECTIN ULTRA DUO 112EC
Common names : Acetamiprid + Emamectin benzoate
Chemical names : (E)-N-[(6-chloro-3-pyridinyl)methyl]-N'-cyano-N-methylethanimidamide
Avermectin B1, 4"-deoxy-4"-(methylamino)-,(4"R)-, benzoate (salt)

Supplier : **NOVA AGRO (HK) LIMITED**
(Reg. No. 1023146)
6th Floor Wyndham Place
44 Wyndham Street
CENTRAL HONG KONG.

Emergency Tel/Fax : +27(0) 83 676 1998

2. COMPOSITION/INFORMATION ON INGREDIENTS

Common name: Acetamiprid + Emamectin benzoate

CAS No.: 135410-20-7 / 155569-91-8

Chemical Family: Neonicotinoid /Avermectin

Chemical Formula: C₁₀H₁₁CIN₄ / C₅₆H₈₁NO₁₅(B1a); C₅₅H₇₉NO₁₅(B1b)

Molecular weight: 222.68 / 1008.3 (B1a); 994.2 (B1b)

Use: A broad spectrum non-systemic insecticide/acaricide for the control of mainly Spidermites, Lepidoptera pests, Thrips, Aphids and Leafminers in Tomatoes, Brassicas, Leafminers and Budworms in Tobacco and other pests in crops and ornamentals.

Formulation: 112g/litre Emulsifiable concentrate (EC)

Hazardous ingredients of toxicological concern:

Acetamiprid ± 6% / Emamectin benzoate ± 5%

Risk-Phrases: R22, R36/37/38, R41, R51/53, R61, R65

Safety-Phrases: H302, H304, H315, H318, H319, H335, H360, H411

3. HAZARDS IDENTIFICATION

- Harmful if swallowed.
- Possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.
- Danger of serious damage to health by prolonged exposure if swallowed.
- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Inhalation:

Remove to fresh air. If breathing is irregular or has stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or Poison Control Centre immediately.

Skin contact:

Remove contaminated clothing, shoes and leather goods. Wash skin gently and thoroughly with clean, cold water and non-abrasive soap. Obtain medical attention if irritation persists.

Eye contact:

Immediately flush eyes with copious amounts clean, cold water for at least 15 to 20 minutes, holding the eyelid(s) open. Remove contact lenses if present. Obtain medical attention immediately.

Ingestion:

Do not induce vomiting. Do not give anything by mouth to an unconscious person. Obtain medical attention immediately. If the person is alert, rinse mouth thoroughly with water and give one or two glasses of water to drink.

Note to physician: No specific antidote known. Treat symptomatically and give supportive therapy.

5. FIRE FIGHTING MEASURES**Extinguishing agents:**

Small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Large fires: Alcohol-resistant foam or water spray.

Do not use a solid water stream as it may scatter and spread fire.

Fire fighting:

Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material.

Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk.

Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Personal protective equipment:

Fire may produce irritating or toxic fumes such as oxides of carbon, and nitrogen, hydrogen chloride and other mists or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions:**

Avoid contact with skin and eyes. Do not inhale spray or fumes.

For personal protection see Section 8.

Environmental precautions:

Dispose of this material and its container at hazardous or special waste collection point in accordance with national and regional regulations. If the product has contaminated surface water, inform the appropriate authorities. Contaminated soil layers have to be dug out.

Occupational spill:

In the event of minor spillage, absorb in sand or other inert material. Use appropriate container to avoid environmental contamination. Ventilate area. Remove all sources of ignition. Collect and contain as much free liquid as possible. Dike spills using absorbent or impervious materials such as sand or clay for later disposal.

7. HANDLING AND STORAGE**Handling:**

Harmful if swallowed. Avoid contact with eyes and skin, and of spray and vapour. Use with adequate ventilation.

Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Operators should change and wash clothing daily.

Remove clothing immediately if the pesticide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage:

Keep out of reach of unauthorised persons, children and animals.

Store in its original labelled container in isolated, dry, cool and well ventilated area. Not to be stored next to foodstuffs and water supplies. Local regulations should be complied with.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular work site depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable personal protective equipment.

Respirator:

A particulate filter respirator may be necessary if effective engineering controls are not in place. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

Clothing:

Employee must wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance.

Gloves:

Employee must wear appropriate protective gloves to prevent contact with this substance. Nitrile rubber is suitable.

Eye protection:

Eye protection is not usually required. Any safety policies for a specific site should be followed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State at 20°C: Clear liquid

Colour: Light yellow

Odour: Sweet, faint odour

pH: 5-8

Flash point: >61

Relative density: 0.92-0.96 g/cc

Auto-ignition temperature: 290

10. STABILITY AND REACTIVITY**Stability:**

The product is stable for 2 years, when stored under normal storage conditions at normal temperatures. Avoid extreme heating conditions, as vapours can be released which can be ignited.

Conditions and Materials to Avoid:

Keep the product in a cool, dry place, at below 30°C. Protect from sunlight, open flame and sources of heat. Avoid contact with oxidizing agents, strong acids and bases. Not corrosive.

Hazardous decomposition products:

Fire may produce irritating or toxic fumes such as oxides of carbon, and nitrogen, hydrogen chloride and other mists or other products of combustion.

11. TOXICOLOGICAL INFORMATION**Acute oral LD₅₀ rats:**

Acetamiprid technical: 146-217 mg/kg

Emamectin technical: 56-63 mg/kg

Formulation calculated: 50-500 mg/kg

Acute dermal LD₅₀ rats:

Acetamiprid technical: >2000 mg/kg

Emamectin technical: >2000 mg/kg

Formulation calculated: >2000 mg/kg

Inhalation:

Acetamiprid technical: LC₅₀ (4 hours) >0.29 mg/kg

Emamectin technical: LC₅₀ (4hours): >1.05 - 0.66 mg/L

Formulation: > 2.0 mg/L

Acute skin irritation: Mild (rabbit)

Acute eye irritation: Moderate (rabbit)

Dermal sensitization: Not a skin sensitizer.

Carcinogenicity: Not carcinogenic.

12. ECOLOGICAL INFORMATION

Mobility, Degradability & Accumulation:

Acetamiprid degrades quickly in soils, primarily by biological processes. It also degrades readily in natural waters. Acetamiprid is adsorbed very strongly on soil particles, especially in soils containing large amounts of clay or organic matter. Movement in the soil is therefore extremely limited and downward leaching of the parent molecule through the soil does not occur under normal conditions of use. Acetamiprid does not accumulate in the environment.

Emamectin is rapidly degraded in the soil and environment.

Metabolism has been investigated in lettuce, cabbage and sweet corn. It is non-systemic, and rapidly degrades in sunlight to various complex residues in which non-degraded parent is the only significant residue. The residues were very low.

ECOTOXICOLOGY:

Birds:

Acetamiprid:

Slightly toxic. Oral LD₅₀ value is 180 mg/kg for bobwhite quail.

Emamectin benzoate:

Oral LD₅₀: Bobwhite quail: 264 mg/kg

Mallard ducks: 76 mg/kg

Fish:

Acetamiprid:

Low toxicity. LC₅₀ value for carp is >100 mg/l.

Emamectin benzoate:

Low acute risk to fish.

LC₅₀ (96 hours): rainbow trout: 174 µg/L

Sheepshead minnow 1430 µg/L

Daphnia:

Acetamiprid:

LC₅₀ (3-6h) > 1000 mg/L

LC₅₀ (48 hours): 0.99 µg/L

Bees: Very toxic to bees (Emamectin benzoate)

Worms: LC₅₀: >1000 mg/kg dry soil (Emamectin benzoate)

13. DISPOSAL CONSIDERATIONS

Product disposal:

Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers

or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Comply with local legislation applying to waste disposal.

Container disposal:

Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed.

Containers and packages must be completely emptied before being disposed of. Shake out thoroughly into the mixing tank and destroy the empty container thereafter. Destroy the empty container by perforation and burying it.

Never re-use the empty container for any other purpose. Do not burn the empty container. Refer to label attached.

Comply with any local legislation applying to disposal.

14. TRANSPORT INFORMATION

UN NUMBER: 3082

CLASS: 9

PACKAGING GROUP: III

Proper shipping name: Environmentally Hazardous Substance, Liquid.

Road Transport ADR/RID: 3082

Maritime Transport IMDG/IMO: 3082

EMAMECTIN ULTRA DUO IS CONSIDERED A MARINE POLLUTANT

15. REGULATORY INFORMATION

Symbol: Xn Harmful

N Dangerous for the environment.

Risk phrase(s):

R 22 Harmful if swallowed.

R36/37/38 – irritating to eyes, respiratory system and skin.

R41- Risk of serious damage to eyes.

R 48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R51/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R68/20/21/22 Harmful, possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

Safety phrases:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

PRODUCT : MAGMECTIN ULTRA DUO EC
EFFECTIVE DATE : JUNE 2020
REVISION No. : 0
PAGES : 7

H360 May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.

16. OTHER INFORMATION

Packaging:

Packed in 500ml, 1L, 5L and 20L HDPE plastic containers and shipper paper boxes and labelled according to International regulations and guidelines.

Disclaimer:

The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product, nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.
